





Industrial & distribution boxes IP54 / *Tableau électrique étanche IP54*




INDUSTRIAL & DISTRIBUTION
INDUSTRIELLES ET DE DISTRIBUTION

Pg. 74

Complementary products



Pg. 254



Pg. 266




Pg. 60



Pg. 60

Product characteristics / *Caractéristiques du produit*



Technical information / *Information technique*

- Complies with Directive 2014/35/EU & 2011/65/EU (RoHS).
- In accordance with EN 62208.
- 70 °C ball pressure test.
- Dimensions: Width x Height x Depth (mm).

- Conforme à la Directive 2014/35/EU et 2011/65/EU (RoHS).
- Conforme à la Directive EN 62208.
- 70 °C Essai de pression à la bille.
- Dimensions: Largeur x Hauteur x Profondeur (mm).

Advantages / *Avantages*



ABS + Polycarbonate
ABS + Polycarbonate



Sealable
Scellable



Metal DIN rail
Rail DIN métallique



Quick installation
Installation rapide



Economic
Économique



IP54
IP54

Technical logos / *Logos techniques*



IP54 / *IP54*



RoHS / *RoHS*



IK07 / *IK07*



Halogen Free / *Sans Halogène*



Class II / *Class II*



CE Certification / *Certification CE*



GWT 650°C / *650°C GWT*


Download / *Télécharger*



More information




Plus d'information



■ Ref. 898 □ Ref. 898B

3 modules. External dimensions 82x155x82. Metal screw.
 3 modules. *Dimension extérieure 82x155x82. Vis en métal.*



■ Ref. 899 □ Ref. 899B

6 modules. External dimensions 145x165x84.
 6 modules. *Dimension extérieure 145x165x84.*



■ Ref. 895 □ Ref. 895B

7 modules. External dimensions 165x145x84.
 7 modules. *Dimension extérieure 165x145x84.*




■ Ref. 897 □ Ref. 897B

7 modules. External dimensions 180x230x86.
 7 modules. *Dimension extérieure 180x230x86.*




■ Ref. 896 □ Ref. 896B

11 modules. External dimensions 230x180x86.
 11 modules. *Dimension extérieure 230x180x86.*



■ Ref. 6887 □ Ref. 6887B

11 modules. External dimensions 250x320x135.
 11 modules. *Dimension extérieure 250x320x135.*



Ref. 6888

Ref. 6888B

15 modules. External dimensions 320x250x135.
 15 modules. Dimension extérieure 320x250x135.

INFORMATIVE TABLE / TABLEAU INFORMATIF

Ref.	External dimensions	Internal dimensions	IP	IK	Colour	screws
898	82 x 155 x 82	75 x 145 x 75	IP54	IK07	White + fume	Metal screw
898B	82 x 155 x 82	75 x 145 x 75	IP54	IK07	White	Metal screw
899	145 x 165 x 84	135 x 160 x 70	IP54	IK07	White + fume	Metal screw
899B	145 x 165 x 84	135 x 160 x 70	IP54	IK07	White	Metal screw
895	165 x 145 x 84	160 x 135 x 70	IP54	IK07	White + fume	Metal screw
895B	165 x 145 x 84	160 x 135 x 70	IP54	IK07	White	Metal screw
896	230 x 180 x 86	220 x 170 x 80	IP54	IK07	White + fume	Metal screw
896B	230 x 180 x 86	220 x 170 x 80	IP54	IK07	White	Metal screw
897	180 x 230 x 86	170 x 220 x 80	IP54	IK07	White + fume	Metal screw
897B	180 x 230 x 86	170 x 220 x 80	IP54	IK07	White	Metal screw
6887	250 x 320 x 135	240 x 310 x 125	IP54	IK07	White + fume	Plastic screw
6887B	250 x 320 x 135	240 x 310 x 125	IP54	IK07	White	Plastic screw
6888	320 x 250 x 135	310 x 240 x 125	IP54	IK07	White + fume	Plastic screw
6888B	320 x 250 x 135	310 x 240 x 125	IP54	IK07	White	Plastic screw