

Polyester cabinets IP66/IK10




Solera
www.psolera.com

Product characteristics



Technical information


- Complies with Directive 2014/35/EU & 2011/65/EU (RoHS).
- Manufactured under EN 62208, EN 61439-1 & 3.
- GWT 960 °C.
- IP66, IK10.
- Halogen free.
- UV protection.
- EPDM joint.
- Wide range.
- Dimensions: Width x Height x Depth (mm).



Cabinets & accessories




Empty cabinets


Ref	Dimensions (mm)	
PX253016	250x300x160.	1/1
PX304020	300x400x200.	1/1
PX405020	400x500x200.	1/1
PX506025	500x600x250.	1/1
PX608030	600x800x300.	1/1




Empty cabinets with transparent lid

Ref	Dimensions (mm)	
PX253016TP	250x300x160.	1/1
PX304020TP	300x400x200.	1/1
PX405020TP	400x500x200.	1/1
PX506025TP	500x600x250.	1/1
PX608030TP	600x800x300.	1/1

Accessories



Ref	Description	
Metallic inner door.		
CHX1	For ref. PX253016 & PX253016TP. 2 rows x 8 modules = 16 modules.	1/1
CHX2	For ref. PX304020 & PX304020TP. 2 rows x 12 modules = 24 modules.	1/1
CHX3	For ref. PX405020 & PX405020TP. 3 rows x 18 modules = 54 modules.	1/1
CHX4	For ref. PX506025 & PX506025TP. 3 rows x 23 modules = 69 modules.	1/1
CHX5	For ref. PX608030 & PX608030TP. 4 rows x 29 modules = 116 modules.	1/1



Locking systems.		
LOCK0	Standard lock system.	1/---
LOCK1	Lock with metal key	1/---
LOCK2	Triangular lock system.	1/---
LOCK3	Padlock locking device.	1/---



Modular movable plate set.		
CDM-200	Modular movable plate set for bottom cabinets 200. PX304020, PX405020, PX304020TP & PX405020TP	1/---
CDM-250	Modular movable plate set for bottom cabinets 250. PX506025 & PX506025TP.	1/---
CDM-300	Modular movable plate set for bottom cabinets 300. PX608030 & PX608030TP	1/---

Accessories



Ref	Description	
Cable glands.		
KIT-PL12G	M12x1.5. Ø cable 3 - 7.	60/960
KIT-PL16G	M16x1.5. Ø cable 4.5 - 10.	60/960
KIT-PL20G	M20x1.5. Ø cable 6 - 13.	60/960
KIT-PL25G	M25x1.5. Ø cable 13 - 18.	60/480
KIT-PL32G	M32x1.5. Ø cable 18 - 25.	40/320
KIT-PL40G	M40x1.5. Ø cable 24 - 32.	1/96



Blind cover.		
TA1300G	For 6 modules.	1/200



Polyester mounting plates.		
PPX253016	For refs. PX253016.	1/1
PPX304020	For refs. PX304020, PX304020TP.	1/1
PPX405020	For refs. PX405020, PX405020TP.	1/1
PPX506025	For refs. PX506025, PX506025TP.	1/1
PPX608030	For refs. PX608030, PX608030TP.	1/1



Metal mounting plates.		
PMX253016	For refs. PX253016.	1/1
PMX304020	For refs. PX304020, PX304020TP.	1/1
PMX405020	For refs. PX405020, PX405020TP.	1/1
PMX506025	For refs. PX506025, PX506025TP.	1/1
PMX608030	For refs. PX608030, PX608030TP.	1/1



Ventilation system for heat dissipating		
DVX1	Ventilation device diameter 18mm	1/1
DVX2	Set of two diameter ventilation devices 29mm	1/1



Wall fixing.		
FIXP	Mural fixation kit (plastic).	4/---
FIXM	Metal wall fixrures.	4/---


Solera

Portalámparas y Accesorios Solera S.A. - C/ Villa de Madrid, 53
 46988 Paterna (Valencia) España - Spain
 solera@psolera.com - export@psolera.com

www.psolera.com

