

Shunt trip coil for RCCBs, AC 230V supply and 1-module format.

Shunt trip coil accessory for RCCBs, with AC 230V supply and 1-module format. Designed for remote opening of the device.



Features

| | |
|---------------------------|---|
| Common applications | Industrial environments (factories, warehouses, etc.) |
| Protection type (modular) | Shunt trip breaker |
| No. of poles | 1P + N |
| Modules (18 mm) | 1 |
| Network type | Alternating current (ac) |
| Short circuit capacity | 6 kA |
| Fixation | 35mm DIN rail |
| Nominal voltage | 230 Vca - (50/60 Hz) |
| Compatibility | S24M.. |
| Union mode | Engageable |
| Identify option | Yes |

Technical data

| | |
|-------------------------------|----------------|
| Fire resistance (GWEPT) | 960 °C |
| Ambient operating temperature | -5 °C ; +40 °C |

Regulations

| | |
|------------|-----|
| CE marking | Yes |
|------------|-----|

| | |
|--|-----------------------|
| CMim marking | Yes |
| According to Regulations UNE/EN | UNE-EN 60947-5-1:2018 |
| In accordance with the Low Voltage Electrotechnical Regulations (REBT) | Yes |
| According to European Directive 2014/35 / EU. Low voltage directive | Yes |

Sustainability

| | |
|--|-----------------------|
| According to European Directive 2011/65/UE (RoHS) | Yes |
| According to European Directive 2012/19/UE (RAEE2) | Yes |
| According to Regulations (RoHS) | UNE-EN IEC 63000:2022 |

Logistics and packaging

| | |
|---------------------------|----------------|
| Unit EAN code | 8423220297258 |
| EAN code container | 8423220297241 |
| EAN code packaging | 18423220297248 |
| Units packaging | 1 |
| Units carton | 180 |
| Pallet Units | 9999 |
| Packaging Measurements cm | 102x3x3 |
| Packaging Measures cm | 10,2x14x12 |
| Tariff code | 85362010 |

Documentation and downloads



Safety Information (0.38MB)