CLE4-5

Pack terminal blocks: 2 units of 2 terminals (CLE24), 2 units of 3 terminals (CLE34) and 1 unit of 5 terminals (CLE54).

Pack terminal blocks: 2 units of 2 terminals (CLE24), 2 units of 3 terminals (CLE34) and 1 unit of 5 terminals (CLE54).Grey - orange colours. Bag 1 units.



Features

Type	Fast terminal blocks
Number of terminals	2 x 2,5 mm² + 3 x 2,5 mm² + 5 x 2,5 mm²
Rigid cable maximum section	4mm²

Technical data

Fire resistance (GWEPT)	850 ºC
Heat resistance (Ball pressure)	125 ºC
Work stress	400 Vca
Free of halogens	Yes

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60998-1:2005
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability

According to European Directive 2011/65/UE (RoHS)	Yes (Complies with UNE EN 50581)


Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

According to European Directive 2012/19/UE (RAEE2)	Yes

Logistics and packaging

Unit EAN code	8423220088337
EAN code container	8423220065086
EAN code packaging	18423220065083
Units packaging	20
Units carton	320
Pallet Units	11200
Packaging Measurements cm	14,5x19x8,8
Packaging Measures cm	59,5x20x37,5
Unit weight (g)	22
Container Weight (Kg)	0,48
Packaging Weight (Kg)	8,31
Tariff code	85369010

Sketch



Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com