# 5707C

## Multiple Socket 2P+E , 16A 250V~. Black rubber.

Multiple Socket 2P+E , 16A 250V~. Black rubber.IP44. With double earth system. Easy connection.
Common applications: Domestic / tertiary outdoor environment (garden, swimming pool, parking, public road, etc.)



## Features

| | |
|---|---|
| Material | Rubber |
| Type | Mobile base |
| No. of poles | 2P + T |
| Type of terminal connection | Screw connection |
| Nominal current | 16A |
| Grounding | Side |
| Folding cable tie to facilitate connection | Yes |
| With cap | Yes |
| PPossibility to use 3x2.5mm² cable | Yes |
| Nominal current | 16A |
| Nominal voltage | 250V~ |
| Color | Black-blue |

## Technical data

| | |
|---|---|
| Protection Degree (IP) | IP44 |
| Fire resistance (GWEPT) | 650/750 °C |
| Heat resistance (Ball pressure) | 70/125 °C |
| Free of halogens | Yes |

## Regulations

| | |
|---|---|
| CE marking | Yes |
| According to Regulations UNE/EN | UNE-20315-1-1:2017; UNE-20315-1-2:2017 |

| | |
|---|---|
| According to REBT | Yes |
| According to European Directive 2014/35 / EU. Low voltage directive | Not applicable |

## Sustainability


| | |
|---|---|
| According to European Directive 2011/65/UE (RoHS) | Yes (Complies with UNE EN 50581) |
| According to European Directive 2012/19/UE (RAEE2) | Yes |

## Logistics and packaging

| | |
|---|---|
| Unit EAN code | 8423220081093 |
| EAN code container | 8423220079816 |
| EAN code packaging | 18423220079813 |
| Units packaging | 17 |
| Units carton | 136 |
| Pallet Units | 4760 |
| Packaging Measurements cm | 17,8x19x14,3 |
| Packaging Measures cm | 59,5x20x37,5 |
| Unit weight (g) | 81 |
| Container Weight (Kg) | 1,47 |
| Packaging Weight (Kg) | 12,30 |
| Tariff code | 85366990 |

## Sketch

# 5707C




## Documentation and downloads

Assembly instructions (2.9MB)

Commercial doc. (1.23MB)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com