6118N

Plug 2P, 10A 250V~. Black colour.



Plug 2P, 10A 250V~. Black colour.
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)

Features

Material	Thermoset
Type	Plug
No. of poles	2P
Type of terminal connection	Screw connection
Nominal current	10A
Grounding	No ground
Nominal current	10A
Nominal voltage	250V~
Color	Black

Technical data

Fire resistance (GWEPT)	650/750 °C
Heat resistance (Ball pressure)	70/125 °C
Free of halogens	Yes

Regulations

CE marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-20315-1-1:2017; UNE-20315-1-2:2017
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Not applicable


Sustainability

According to European Directive 2011/65/UE (RoHS)	Yes (Complies with UNE EN 50581)
According to European Directive 2012/19/UE (RAEE2)	Yes

Logistics and packaging

Unit EAN code	8423220079502
EAN code container	8423220002654
EAN code packaging	18423220002651
Units packaging	60
Units carton	960
Pallet Units	33600
Packaging Measurements cm	14,5x19x8,8
Packaging Measures cm	59,5x20x37,5
Unit weight (g)	15
Container Weight (Kg)	0,99
Packaging Weight (Kg)	16,35
Tariff code	85366990

Sketch



Documentation and downloads

Commercial doc. (1.23MB)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com