

**Socket 2P+E, 16A 250V~. White colour.**

Socket 2P+E, 16A 250V~. White colour.Surface

**Features**

Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)
Material	Thermoplastic
Type	Fixed base
No. of poles	2P + T
Type of terminal connection	Screw connection
Nominal current	16A
Grounding	Side
Nominal current	16A
Nominal voltage	250V~
Color	White

**Technical data**

Fire resistance (GWEPT)	650/750 °C
Heat resistance (Ball pressure)	70/125 °C
Free of halogens	Yes

**Regulations**

CE marking	Yes
According to Regulations UNE/EN	UNE-20315-1-1:2017; UNE-20315-1-2:2017

In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
--	-----

In accordance with the Regulation (EU) 2023/988 of the European Parliament and of the Council on general product safety	Yes
---	-----

## Sustainability

According to European Directive 2011/65/UE (RoHS)	Yes
---	-----

According to European Directive 2012/19/UE (RAEE2)	Yes
--	-----

According to Regulations (RoHS)	UNE-EN IEC 63000:2022
---------------------------------	-----------------------

## Logistics and packaging

Unit EAN code	8423220240452
---------------	---------------

EAN code container	8423220050013
--------------------	---------------

EAN code packaging	18423220050010
--------------------	----------------

Units packaging	24
-----------------	----

Units carton	192
--------------	-----

Pallet Units	6720
--------------	------

Packaging Measurements cm	17,8x14,3x19
---------------------------	--------------

Packaging Measures cm	59,5x37,5x20
-----------------------	--------------


Unit weight (g)	65
-----------------	----

Container Weight (Kg)	1,648
-----------------------	-------

Packaging Weight (Kg)	13,764
-----------------------	--------

Tariff code	85366990
-------------	----------

## Sketch



## Documentation and downloads



Commercial doc. (0.27MB)



Safety Information (0.38MB)