CTM1N

Extra flat plug 2P+E 16A 250V~. White colour.



Extra flat plug 2P+E 16A 250V~. White colour.Easy connection access. Folding handle. With double earth system.

Features

Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)
Material	Thermoplastic
Type	Plug
No. of poles	2P + T
Type of terminal connection	Screw connection
Nominal current	16A
Grounding	Double system
Folding cable tie to facilitate connection	Yes
Handle	Yes
Nominal current	16A
Nominal voltage	250V~
Color	Black

Technical data

Fire resistance (GWEPT)	650/750 °C
Heat resistance (Ball pressure)	70/125 °C
Free of halogens	Yes

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

Regulations

CE marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-20315-1-1:2017; UNE-20315-1-2:2017
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
In accordance with the Regulation (EU) 2023/988 of the European Parliament and of the Council on general product safey	Yes

Sustainability


According to European Directive 2011/65/UE (RoHS)	Yes
According to European Directive 2012/19/UE (RAEE2)	Yes
According to Regulations (RoHS)	UNE-EN IEC 63000:2022

Logistics and packaging

Unit EAN code	8423220074330
EAN code container	8423220078369
EAN code packaging	18423220078366
Units packaging	16
Units carton	256
Pallet Units	8960
Packaging Measurements cm	14,5x8,8x19
Packaging Measures cm	59,5x37,5x20
Unit weight (g)	44,2
Container Weight (Kg)	0,7542
Packaging Weight (Kg)	12,6472
Tariff code	85366990

Sketch

CTM1N



Documentation and downloads

- Assembly instructions (2.15MB)
- Commercial doc. (0.27MB)
- Safety Information (0.38MB)