

## Flush socket 2P+E, 16A 250V~.

Flush-mounted socket with 2P+E configuration, rated for 16A at 250V~. The IP54 rating ensures protection against dust and splashing water. Recommended for residential or light commercial wall-mounted installations requiring a secure connection.



## Features

|                             |   |
|-----------------------------|---|
| Common applications         | Industrial environments (factories, warehouses, etc.) |
| Type                        | Fitted socket outlet (Schuko)                         |
| No. of poles                | 2P + T  |
| Type of terminal connection | Screw connection                                      |
| Frame for Indubox           | MR1360  |
| Nominal current             | 16A   |
| Nominal voltage             | 250V  |
| Color                       | Blue  |

## Technical data

|                                 |                  |
|---------------------------------|------------------|
| Protection Degree (IK)          | IK09             |
| Impact shock resistance         | Strong           |
| Fire resistance (GWEPT)         | 850 °C           |
| Heat resistance (Ball pressure) | 125 °C           |
| Ambient operating temperature   | -5 °C ; +40 °C   |
| Dimensional stability           | -25 °C -> +80 °C |
| Free of halogens                | Yes              |

## Regulations

|            |     |
|------------|-----|
| CE marking | Yes |
|------------|-----|

|  |  |
|--|--|
| CMim marking   | Yes  |
| According to Regulations UNE/EN  | UNE-EN 60309-1:2023<br>UNE-EN 60309-2:2023 |
| In accordance with the Low Voltage Electrotechnical Regulations (REBT) | Yes  |
| According to European Directive 2014/35 / EU. Low voltage directive    | Yes  |



## Sustainability

|  |                       |
|--|-----------------------|
| According to European Directive 2011/65/UE (RoHS)  | Yes                   |
| According to European Directive 2012/19/UE (RAEE2) | Yes                   |
| According to Regulations (RoHS)                    | UNE-EN IEC 63000:2022 |

## Logistics and packaging

|                       |                |
|-----------------------|----------------|
| Unit EAN code         | 8423220019836  |
| EAN code container    | 8423220019836  |
| EAN code packaging    | 18423220019833 |
| Units packaging       | 1              |
| Units carton          | 100            |
| Pallet Units          | 5000           |
| Packaging Measures cm | 36x27,5x18,5   |
| Unit weight (g)       | 48,4           |
| Container Weight (Kg) | 0,0484         |
| Packaging Weight (Kg) | 4,84           |
| Tariff code           | 85366990       |

## Sketch



|        |      |
|--------|------|
| Ampere | 16   |
| Pole   | 2P+E |
| a      | 50,5 |
| b      | 38   |
| c      | 62   |
| d      | 25   |
| e      | 18   |
| f      | 24   |
| g      | 43   |
| h      | 4,2  |



## Documentation and downloads



Safety Information (0.38MB)