

## Angled industrial flush socket 3P+E, 63A 400V~. IP67.

Industrial flush-mount base with angled design, featuring 3 poles + earth, rated at 63A 400V~. The IP67 rating ensures protection in harsh environments with water and dust exposure. The inclined shape enables ergonomic plug connections. Ideal for heavy-duty industrial installations.



### Features

Common applications	Industrial environments (factories, warehouses, etc.)
Type	Fitted socket outlet
No. of poles	3P + T
Type of terminal connection	Screw connection
Earth position	6h
Frame for Indubox	MR1363
Nominal current	63A
Nominal voltage	400V
Color	Red

### Technical data

Protection Degree (IK)	IK09
Impact shock resistance	Strong
Fire resistance (GWEPT)	850 °C
Heat resistance (Ball pressure)	125 °C
Ambient operating temperature	-5 °C ; +40 °C
Dimensional stability	-25 °C -> +80 °C
Free of halogens	Yes

## Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60309-1:2023 UNE-EN 60309-2:2023
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

## Sustainability

According to European Directive 2011/65/UE (RoHS)	Yes
According to European Directive 2012/19/UE (RAEE2)	Yes
According to Regulations (RoHS)	UNE-EN IEC 63000:2022

## Logistics and packaging

Unit EAN code	8423220042971
EAN code container	8423220042971
EAN code packaging	18423220042978
Units packaging	1
Units carton	2
Pallet Units	99999
Packaging Measures cm	29x18,5x14
Unit weight (g)	553,6
Container Weight (Kg)	0,5536
Packaging Weight (Kg)	1,2422
Tariff code	85366990

## Documentation and downloads



Safety Information (0.38MB)