


## Industrial surface plug 3P+E, 63A 400V~. IP67

Industrial surface plug 3P+E, 63A 400V~. IP67



### Features

|                             |   |
|-----------------------------|---|
| Common applications         | Industrial environments (factories, warehouses, etc.) |
| Type                        | Surface Flush plugs                                   |
| No. of poles                | 3P + T  |
| Type of terminal connection | Screw connection                                      |
| Earth position              | 6h  |
| Nominal current             | 63A   |
| Nominal voltage             | 400V  |
| Color                       | Red   |

### Technical data

|                                 |                  |
|---------------------------------|------------------|
| Protection Degree (IK)          | IK09             |
| Impact shock resistance         | Strong           |
| Fire resistance (GWEPT)         | 850 °C           |
| Heat resistance (Ball pressure) | 125 °C           |
| Ambient operating temperature   | -5 °C ; +40 °C   |
| Dimensional stability           | -25 °C -> +80 °C |
| Free of halogens                | Yes              |

### Regulations

|            |     |
|------------|-----|
| CE marking | Yes |
|------------|-----|

|  |  |
|--|--|
| UK marking   | Yes  |
| CMim marking   | Yes  |
| According to Regulations UNE/EN  | UNE-EN 60309-1:2023<br>UNE-EN 60309-2:2023 |
| In accordance with the Low Voltage Electrotechnical Regulations (REBT) | Yes  |
| According to European Directive 2014/35 / EU. Low voltage directive    | Yes  |


## Sustainability

|  |                       |
|--|-----------------------|
| According to European Directive 2011/65/UE (RoHS)  | Yes                   |
| According to European Directive 2012/19/UE (RAEE2) | Yes                   |
| According to Regulations (RoHS)                    | UNE-EN IEC 63000:2022 |

## Logistics and packaging

|                       |                |
|-----------------------|----------------|
| Unit EAN code         | 8423220046474  |
| EAN code container    | 8423220046474  |
| EAN code packaging    | 18423220046471 |
| Units packaging       | 1              |
| Units carton          | 1              |
| Pallet Units          | 99999          |
| Packaging Measures cm | 33x26x17       |
| Packaging Weight (Kg) | 1,0742         |
| Tariff code           | 85366990       |

## Sketch



| Ampere | 63  |     |     |
|--------|-----|-----|-----|
| Pole   | 3   | 4   | 5   |
| a [mm] | 271 | 271 | 271 |
| b [mm] | 175 | 175 | 175 |



## Documentation and downloads



Safety Information (0.38MB)