

Lampholder E-14. Screw connection. 2A 250V. Threaded body with stopper.

E14 screw lamp holder with white threaded thermoplastic body. Rated for 2A at 250V~, with screw terminal connection. Features M10-100 threaded entry with safety stop, and a locking screw on the cap to prevent unwanted turning. Suitable for decorative and functional lighting in residential and commercial spaces.



Features

Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)
Material	Thermoplastic
Tension	250 V~
Electricity	2 A
Fixation System	M10/100
Threaded body	Yes
Maximum power	80W
Color	White
Threaded stud length in glands	sí

Technical data

Free of halogens	Yes
------------------	-----

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60238:2018
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes

According to European Directive 2014/35 /
EU. Low voltage directive

Yes

Sustainability

According to European Directive
2011/65/UE (RoHS)

Yes

According to European Directive
2012/19/UE (RAEE2)

Yes

According to Regulations (RoHS)

UNE-EN IEC 63000:2022

Logistics and packaging

Unit EAN code 8423220237087

EAN code container 8423220002449

EAN code packaging 18423220002446

Units packaging 45

Units carton 360

Pallet Units 17280

Packaging Measurements cm 14,5x8,8x19

Packaging Measures cm 37,5x30x20


Unit weight (g) 21,4

Container Weight (Kg) 1,0271

Packaging Weight (Kg) 8,5488

Tariff code 85366110


Sketch



Sketch

PORTALÁMPARAS

E14



Documentation and downloads



Safety Information (0.38MB)