

Lampholder E-27 for fairs. 4A 250V. 5 x 13 mm rectangular cable anchor. Fixação para cabo retangular de 5 x 13 mm.

E27 lamp holder for temporary setups at fairs and exhibitions. Black thermoplastic, supports up to 100W, 4A 250V. Designed for 5x13 mm rectangular cable mount. Ideal for modular structures.



Features

Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)
Dimensions (Height x Width - mm)	para cable rectangular 5 x 13 mm
Material	Thermoplastic
Tension	250 V~
Electricity	4 A
Fixation System	Type fair
Maximum power	100W
Color	Black

Technical data

Free of halogens	Yes
------------------	-----

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60238:2018

In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
--	-----

According to European Directive 2014/35 / EU. Low voltage directive	Yes
---	-----

Sustainability

According to European Directive 2011/65/UE (RoHS)	Yes
---	-----

According to European Directive 2012/19/UE (RAEE2)	Yes
--	-----

According to Regulations (RoHS)	UNE-EN IEC 63000:2022
---------------------------------	-----------------------

Logistics and packaging

Unit EAN code	8423220236806
---------------	---------------

EAN code container	8423220006676
--------------------	---------------

EAN code packaging	18423220006673
--------------------	----------------

Units packaging	50
-----------------	----

Units carton	400
--------------	-----

Pallet Units	14000
--------------	-------

Packaging Measurements cm	17,8x14,3x19
---------------------------	--------------

Packaging Measures cm	59,5x37,5x20
-----------------------	--------------


Unit weight (g)	28
-----------------	----

Container Weight (Kg)	1,488
-----------------------	-------

Packaging Weight (Kg)	12,484
-----------------------	--------

Tariff code	85366110
-------------	----------


Sketch



Sketch

PORTALÁMPARAS

E27



Documentation and downloads



Safety Information (0.38MB)