

Lampholder E-27. Screw connection. 4A 250V. Threaded body.

E27 lamp holder with threaded black thermoplastic body. Features screw terminals, M10-100 threaded entry with safety stop, and anti-rotation screw. Ideal for decorative or technical lighting setups in residential or commercial spaces.



Features

Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)
Material	Thermoplastic
Tension	250 V~
Electricity	4 A
Fixation System	M10/100
Threaded body	Yes
Maximum power	75W
Color	Black
Threaded stud length in glands	sí

Technical data

Free of halogens	Yes
------------------	-----

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60238:2018

In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
--	-----

According to European Directive 2014/35 / EU. Low voltage directive	Yes
---	-----

Sustainability

According to European Directive 2011/65/UE (RoHS)	Yes
---	-----

According to European Directive 2012/19/UE (RAEE2)	Yes
--	-----

According to Regulations (RoHS)	UNE-EN IEC 63000:2022
---------------------------------	-----------------------

Logistics and packaging

Unit EAN code	8423220237261
---------------	---------------

EAN code container	8423220000599
--------------------	---------------

EAN code packaging	18423220000596
--------------------	----------------

Units packaging	40
-----------------	----

Units carton	320
--------------	-----

Pallet Units	11200
--------------	-------

Packaging Measurements cm	17,8x14,3x19
---------------------------	--------------

Packaging Measures cm	59,5x37,5x20
-----------------------	--------------


Unit weight (g)	33,2
-----------------	------

Container Weight (Kg)	1,416
-----------------------	-------

Packaging Weight (Kg)	11,908
-----------------------	--------

Tariff code	85366110
-------------	----------


Sketch



Sketch

PORTALÁMPARAS

E27



Documentation and downloads



Safety Information (0.38MB)