161QC

Lampholder E-27 for construction. 4A 250V. Quick connection.



Lampholder E-27 for construction .Quick connection. 4A 250V.White thermplastic material. MAX 40W.
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)

Features

Material	Thermoplastic
Tension	250 V~
Electricity	4 A
Maximum power	40W
Color	White

Technical data

Protection Degree (IP)	IP20
Free of halogens	Yes

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60238:2018
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com


Sustainability


According to European Directive 2011/65/UE (RoHS)	Yes (Complies with UNE EN 50581)
According to European Directive 2012/19/UE (RAEE2)	Yes


Logistics and packaging

Unit EAN code	8423220235472
EAN code container	8423220235472
EAN code packaging	18423220235479
Units packaging	25
Units carton	400
Pallet Units	14000
Packaging Measurements cm	14,5x19x8,8
Packaging Measures cm	59,5x20x37,5
Unit weight (g)	15
Container Weight (Kg)	0,44
Packaging Weight (Kg)	7,65
Tariff code	39269097

Sketch







Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

Documentation and downloads

Assembly instructions (1MB)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com