

Cable reel with 4 sockets 2P+E, (french) 16A 230V~. 40 m of cable HO5VV-F 3G1.5 mm².

Cable reel with 4 sockets 2P+E, 16A 230V~.French system 40 m of cable HO5VV-F 3G1.5 mm². IP20. MAX unrolled/rolled 3200/1100W. With power limiter



Features

Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)
No. of bases	4
Basic characteristics	2P+E, (FR) 16A 230V~
Plug features	2P+E, 16A 230V (double system earth)
Maximum power (extended cable)	3.200 W
Maximum power (coiled cable)	1.100 W
Cable length	40 m.
Cable Features	HO5VV-F 3x1,5mm ²
Winding type	Manual
Bracket	Yes

Technical data

Insulation class	Class II
Fire resistance (GWEPT)	650/750 °C
Heat resistance (Ball pressure)	70/125 °C

Regulations

CE marking	Yes
------------	-----

CMim marking	Yes
According to Regulations	NF C61-314
According to Regulations UNE/EN	UNE-EN 61242:1998
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
NF certificate	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability

According to European Directive 2011/65/UE (RoHS)	Yes
According to European Directive 2012/19/UE (RAEE2)	Yes
According to Regulations (RoHS)	UNE-EN IEC 63000:2022

Logistics and packaging

Unit EAN code	8423220242500
EAN code container	8423220242500
EAN code packaging	18423220242507
Units packaging	1
Units carton	1
Pallet Units	88
Packaging Measurements cm	22x20x0,1
Packaging Measures cm	28x21x39
Unit weight (g)	4775
Container Weight (Kg)	4,785
Packaging Weight (Kg)	5,785
Tariff code	85444290

Documentation and downloads



Safety Information (0.38MB)

