

## Flush distribution board, 14 modules. With lock

Flush distribution board, 14 modules. White frame and door. Flush dimensions 320 x 233 x 75 mm. Sealable. With lock



### Features

Installation method	Flush in work
Use	Domestic / Tertiary
Location type	Inside
No. Modules (18 mm)	14
Modules per row	14
Metallic DIN profile	Yes
Dimensions gap (mm) (Width x Height x Depth)	320x233x75
Dimensions (mm)	See sketch
Case material	Insulation
Frame and door material	Insulation
Case color	Black
Cap color	White
Door color	White
Door opening	Horizontal
Battens included	No
Ticket type	Unfathomable
Fixation System (For surface)	Inside
Sealable	Yes
Linkable	Vertically and horizontally
Lid closure system	Metal screw
Door closing system	With lock

Reversible door	Yes
Possibility of mounting strips	Yes (not included)
Possibility of putting lock	Key included
Separate covers or doors on the boxes	Yes
Possibility of mounting DIN rail	Yes (included)
Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)
Additional dimensions (mm)	See sketch

## Technical data

Protection Degree (IK)	IK08
Insulation class	Class II
Fire resistance (GWEPT)	650 °C
Heat resistance (Ball pressure)	70 °C
Installation temperature	-5 °C -> +60 °C
Ambient operating temperature	-5 °C ; +60 °C
Work stress	400 Vac-1000 Vdc
Thermal power dissipated	24 W
Free of halogens	Yes

## Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 62208:2012
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

## Sustainability

According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
---	--


According to European Directive 2012/19/UE (RAEE2)

Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

## Logistics and packaging

Unit EAN code	8423220055803
EAN code container	8423220055803
EAN code packaging	18423220055800
Units packaging	1
Units carton	11
Pallet Units	165
Packaging Measurements cm	36,5x25x10,5
Packaging Measures cm	59,8x37,5x59
Container Weight (Kg)	0,161
Packaging Weight (Kg)	2,871
Tariff code	85371098

## Sketch



## Documentation and downloads



Included accessories (0.14MB)



Dimensions table (0.15MB)



Distribution boards Arelos range (Solera) (Ed. 2024)



Safety Information (0.38MB)



Series replenishments (0.04MB)



Mounting distribution boards. Arelos range (Solera)