689B



Surface distribution board, 2 modules.

Surface distribution board, 2 modules. White colour. External dimensions 40 x 140 x 58 mm. Sealable.

Features

Installation method	Surface
Use	Domestic / Tertiary
Location type	Inside
No. Modules (18 mm)	2
Modules per row	2
Dimensions outside (mm) (width x height x depth)	40x140x58
Case material	Thermoplastic
Case color	White
Ticket type	Smooth sides (machining inlets)
Fixation System (For surface)	Inside
Sealable	Yes
Lid closure system	Metal screw
Possibility of putting lock	Not
Possibility of mounting DIN rail	Yes (included)
Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)

Technical data

Protection Degree (IK)	IK07

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

Insulation class	Class II
Fire resistance (GWEPT)	650 ºC
Heat resistance (Ball pressure)	70 ºC
Free of halogens	Yes

Regulations

CE marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 62208:2012
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes


Sustainability

According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

Logistics and packaging

Unit EAN code	8423220237315
EAN code container	8423220011618
EAN code packaging	18423220011615
Units packaging	10
Units carton	230
Pallet Units	3450
Packaging Measures cm	57,8x38,5x46
Unit weight (g)	65,6
Container Weight (Kg)	0,666
Packaging Weight (Kg)	16,288
Tariff code	85371098

Sketch



Documentation and downloads

- Assembly instructions (0.72MB)
- Safety Information (0.38MB)
- Table of compatibilities: box, frame and door (0.08MB)
- Series replenishments (0.24MB)