# 694CG

## Surface distribution board, 12 modules.



Surface distribution board, 12 modules. Grey colour. External dimensions 245 x 200 x 95 mm. With screws for sealing.

## Features

| | |
|---|---|
| Installation method | Surface |
| Use | Domestic / Tertiary |
| Location type | Inside |
| No. Modules (18 mm) | 12 |
| Modules per row | 12 |
| Metallic DIN profile | Yes |
| Dimensions outside (mm) (width x height x depth) | 245x200x95 mm |
| Dimensions (mm) | See sketch |
| Case material | Thermoplastic |
| Case color | Grey (RAL7035) |
| Cap color | Grey |
| Door color | Grey (RAL7035) |
| Door opening | Horizontal |
| Ticket type | Smooth sides (machining inlets) |
| Fixation System (For surface) | Inside |
| Sealable | Yes |
| Lid closure system | Metal screw |
| Door closing system | Handle |
| Possibility of putting lock | Yes (not included) |
| Possibility of mounting DIN rail | Yes (included) |
| Common applications | Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.) |

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

| | |
|---|---|
| Additional dimensions (mm) | See sketch |

## Technical data

| | |
|---|---|
| Protection Degree (IK) | IK07 |
| Impact shock resistance | Medium |
| Insulation class | Class II |
| Fire resistance (GWEPT) | 650 °C |
| Heat resistance (Ball pressure) | 70 °C |
| Free of halogens | Yes |

## Regulations

| | |
|---|---|
| CE marking | Yes |
| CMim marking | Yes |
| According to Regulations UNE/EN | UNE-EN 62208:2012 |
| In accordance with the Low Voltage Electrotechnical Regulations (REBT) | Yes |
| According to European Directive 2014/35 / EU. Low voltage directive | Yes |

## Sustainability

| | |
|---|---|
| According to European Directive 2011/65/UE (RoHS) | The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1 |
| According to European Directive 2012/19/UE (RAEE2) | Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II). |


## Logistics and packaging

| | |
|---|---|
| Unit EAN code | 8423220059610 |
| EAN code container | 8423220059610 |
| EAN code packaging | 18423220059617 |
| Units packaging | 1 |
| Units carton | 24 |
| Pallet Units | 288 |

# 694CG

| | |
|---|---|
| Packaging Measures cm | 59,5x42,5x51 |
| Unit weight (g) | 677,2 |
| Container Weight (Kg) | 0,6772 |
| Packaging Weight (Kg) | 17,4528 |
| Tariff code | 85371098 |

## Sketch




## Documentation and downloads

**Assembly instructions (0.72MB)**

**Safety Information (0.38MB)**

**Table of compatibilities: box, frame and door (0.08MB)**

**Series replenishments (0.24MB)**

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com