Flush connection box. 150 x 150 mm. Cover with metal claw.



Flush connection box. 150 x 150 mm. Cover with metal claw.Depth 50 mm. 12 inputs for tube Ø 32 mm.
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)

Features

Enclosure type	Connection and derivation
Installation method	Flush in work
Use	Domestic / Tertiary
Location type	Inside
Dimensions inside (mm) (Width x Height x Depth)	150x150x50
Case material	Insulation
Case color	Black
Cap color	White
No. of inlets and size (mm)	12xØ 32
Lid closure system	Metal claw

Technical data

Impact shock resistance	Medium
Insulation class	Class II
Fire resistance (GWEPT)	650 °C
Heat resistance (Ball pressure)	70 °C
Work stress	400 Vca
Free of halogens	Yes

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-1:2022 UNE- EN 60670-22:2007
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes


Sustainability


According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).


Logistics and packaging

Unit EAN code	8423220006232
EAN code container	8423220006232
EAN code packaging	18423220006239
Units packaging	1
Units carton	78
Pallet Units	1170
Packaging Measures cm	59,5x59,5x39,5
Unit weight (g)	207
Container Weight (Kg)	0,21
Packaging Weight (Kg)	17,37
Tariff code	85371098

Sketch







Documentation and downloads

Assembly instructions (0.41MB)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com