5530

Flush connection box. 300 x 160 x 70 mm Cover with screws.



Flush connection box. 300 x 160 mm Cover with screws.Depth 70 mm. 14 inputs for Ø 32 tube and 10 inputs for Ø 40 mm tube. Two partition walls.

Features

Installation method	Flush in work
Use	Domestic / Tertiary
Location type	Inside
Dimensions gap (mm) (Width x Height x Depth)	300x160x70
Case material	Thermoplastic
Case color	Black
Cap color	White
No. of inlets and size (mm)	14x Ø 32 y 10xØ 40
Lid closure system	Metal screw
Possibility of mounting DIN rail	Yes (not included)
Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)

Technical data

Impact shock resistance	Medium
Insulation class	Class II
Fire resistance (GWEPT)	650 °C
Heat resistance (Ball pressure)	70 °C
Work stress	400 Vac
Free of halogens	Yes

Regulations

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

CE marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-1:2022 UNE- EN 60670-22:2007
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability


According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

Logistics and packaging

Unit EAN code	8423220011984
EAN code container	8423220011984
EAN code packaging	18423220011981
Units packaging	1
Units carton	31
Pallet Units	465
Packaging Measures cm	59,5x39,5x59,5
Unit weight (g)	432,2
Container Weight (Kg)	0,4372
Packaging Weight (Kg)	14,6832
Tariff code	85371098

Sketch

5530



Documentation and downloads

- Assembly instructions (0.17MB)
- Safety Information (0.38MB)
- Series replenishments (0.26MB)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com