5270PFHGW

Flush distribution board for hollow walls, 56 modules. Smoked door.



Flush distribution board for hollow walls with 56 modules. Fixing system using black multi-perforated support. 4 rows. White frame and smoked door. Flush dimensions: 320 x 670 x 75 mm.

Features

Installation method	For hollow wall.
Use	Domestic / Tertiary
Location type	Inside
No. Modules (18 mm)	56
Modules per row	14
Removable frame	Yes
Metallic DIN profile	Yes
Dimensions gap (mm) (Width x Height x Depth)	320x670x75
Dimensions (mm)	See sketch
Case material	Thermoplastic
Frame and door material	Insulation
Case color	Blue
Door color	Fume
Door opening	Horizontal
Battens included	No
Ticket type	Unfathomable
Linkable	Vertically and horizontally
Lid closure system	Metal screw
Door closing system	Handle

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

Reversible door	Yes
Possibility of mounting strips	Yes (not included)
Possibility of putting lock	Yes (not included)
Possibility of mounting DIN rail	Yes (included)
Fixing system to the hollow partition.	Multi-perforated support for hollow wall black colour.
Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)
Additional dimensions (mm)	See sketch

Technical data

Protection Degree (IK)	IK08
Impact shock resistance	Medium
Insulation class	Class II
Fire resistance (GWEPT)	850 °C
Heat resistance (Ball pressure)	70 °C
Ambient operating temperature	-5 °C ; +60 °C
Work stress	<1000 Vac ; 1500 Vdc
Thermal power dissipated	68 W
Free of halogens	Yes

Regulations

CE marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 62208:2012
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability

According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1


According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

Logistics and packaging

Unit EAN code	8423220092853
EAN code container	8423220092853
EAN code packaging	18423220092850
Units packaging	1
Units carton	5
Pallet Units	50
Packaging Measures cm	56x37,5x70,5
Unit weight (g)	2857
Container Weight (Kg)	2,882
Packaging Weight (Kg)	15,605
Tariff code	39259010

Sketch

5270PFHGW



Documentation and downloads

- Assembly instructions (2.09MB)
- Commercial doc. (3.42MB)
- Safety Information (0.38MB)
- Link options for enclosures (0.08MB)
- Assembly instructions (0.43MB)
- Commercial doc. (0.34MB)
- Certificate (0.48MB)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com