# 5324

## Flush connection box in hollow partition. 250 x 250 mm. Cover with screws. Fixing with metal claws.



Flush connection box in hollow partition. 252 x 252 mm. Cover with screws. Fixing system metal claws..Depth 48.5 mm.

## Features

| | |
|---|---|
| Installation method | For hollow wall. |
| Use | Domestic / Tertiary |
| Location type | Inside |
| Dimensions outside (mm) (width x height x depth) | 268x268x53 |
| Dimensions gap (mm) (Width x Height x Depth) | 252x252x48,5 |
| Case material | Thermoplastic |
| Case color | Blue |
| Cap color | White |
| Ticket type | Unfathomable |
| No. of inlets and size (mm) | 12xØ25, 12xØ30 |
| Lid closure system | Metal screw |
| Fixing system to the hollow partition. | Metal claw |
| With grommets at the bottom to fix the tubes or cables with cable ties, quantity | Yes |
| With recessed hole marking system | Yes |
| Common applications | Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.) |

## Technical data

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

| | |
|---|---|
| Fire resistance (GWEPT) | 850 ºC |
| Heat resistance (Ball pressure) | 70 ºC |
| Ambient operating temperature | -5 ºC ; +60 ºC |
| Work stress | 400 Vac |
| Free of halogens | Yes |

## Regulations

| | |
|---|---|
| CE marking | Yes |
| CMim marking | Yes |
| According to Regulations UNE/EN | UNE-EN 60670-1:2022<br>UNE- EN 60670-22:2007 |
| In accordance with the Low Voltage Electrotechnical Regulations (REBT) | Yes |
| CB certificate | Yes |
| According to European Directive 2014/35 / EU. Low voltage directive | Yes |

## Sustainability

| | |
|---|---|
| According to European Directive 2011/65/UE (RoHS) | The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1 |
| According to European Directive 2012/19/UE (RAEE2) | Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II). |


## Logistics and packaging


| | |
|---|---|
| Unit EAN code | 8423220090866 |
| EAN code container | 8423220090866 |
| Units packaging | 1 |
| Units carton | 28 |
| Pallet Units | 420 |
| Packaging Measures cm | 59,5x39,5x59,5 |
| Unit weight (g) | 484,6 |
| Container Weight (Kg) | 0,4846 |
| Packaging Weight (Kg) | 14,5168 |

# 5324

| | |
|---|---|
| Tariff code | 85371098 |

## Sketch




## Documentation and downloads

- Assembly instructions (2.94MB)
- Commercial doc. (3.42MB)
- Safety Information (0.38MB)
- Back junction boxes for Dry wall (Solera)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

Mounting back junction boxes for Dry wall (Solera)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com