5507HGW

Flush connection box in hollow partition. 300 x 500 x 60 mm. With frame and door. White colour. Blue box.



Flush connection box in hollow partition. 300 x 500 x 60 mm. With frame and door white colour. Fixing system using m ulti-perforated support black colour. 50 inputs for Ø 40 mm tube.

Features

Installation method	For hollow wall.
Use	Domestic / Tertiary
Location type	Inside
Dimensions inside (mm) (Width x Height x Depth)	300x500x60
Case material	Thermoplastic
Case color	Blue
Cap color	White
Door color	White
Door opening	Horizontal
Ticket type	Unfathomable
No. of inlets and size (mm)	50xØ40
Linkable	Vertically and horizontally
Lid closure system	Metal screw
Door closing system	A Pressure
Possibility of putting lock	Yes (not included)
Fixing system to the hollow partition.	Multi-perforated support for hollow wall black colour.
With grommets at the bottom to fix the tubes or cables with cable ties, quantity	Yes
Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

5507HGW

Technical data

Fire resistance (GWEPT)	850 ºC
Heat resistance (Ball pressure)	70 ºC
Ambient operating temperature	-5 ºC ; +60 ºC
Work stress	400 Vac
Free of halogens	Yes

Regulations

CE marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-1:2022 UNE- EN 60670-22:2007
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
CB certificate	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability

According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).


Logistics and packaging

Unit EAN code	8423220235908
EAN code container	8423220235908
EAN code packaging	18423220235905
Units packaging	1
Units carton	5
Pallet Units	75
Packaging Measures cm	57,8x38,5x46

5507HGW

Unit weight (g)	1670,6
Container Weight (Kg)	1,6846
Packaging Weight (Kg)	9,393
Tariff code	39259010

Sketch



Documentation and downloads

Assembly instructions (5.54MB)

Commercial doc. (3.42MB)

Safety Information (0.38MB)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com