# 5507HGW

## Flush connection box in hollow partition. 300 x 500 x 60 mm. With frame and door. White colour. Blue box.



Flush connection box in hollow partition. 300 x 500 x 60 mm. With frame and door white colour. Fixing system using m ulti-perforated support black colour. 50 inputs for Ø 40 mm tube.
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)

## Features

| | |
|---|---|
| Enclosure type | Connection and derivation |
| Installation method | For hollow wall. |
| Use | Domestic / Tertiary |
| Location type | Inside |
| Dimensions inside (mm) (Width x Height x Depth) | 300x500x60 |
| Case material | Insulation |
| Case color | Blue |
| Cap color | White |
| Door color | White |
| Door opening | Horizontal |
| Ticket type | Unfathomable |
| No. of inlets and size (mm) | 50xØ40 |
| Linkable | Vertically and horizontally |
| Lid closure system | Metal screw |
| Door closing system | A Pressure |
| Possibility of putting lock | Key |
| Fixing system to the hollow partition. | Multi-perforated support for hollow wall black colour. |

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

| | |
|---|---|
| With grommets at the bottom to fix the tubes or cables with cable ties, quantity | Yes |

## Technical data

| | |
|---|---|
| Fire resistance (GWEPT) | 850 ºC |
| Heat resistance (Ball pressure) | 70 ºC |
| Ambient operating temperature | -5 ºC ; +60 ºC |
| Work stress | 400 Vca |
| Free of halogens | Yes |

## Regulations

| | |
|---|---|
| CE marking | Yes |
| UK marking | Yes |
| CMim marking | Yes |
| According to Regulations UNE/EN | UNE-EN 60670-1:2022<br>UNE- EN 60670-22:2007 |
| According to REBT | Yes |
| CB certificate | Yes |
| According to European Directive 2014/35 / EU. Low voltage directive | Yes |

## Sustainability

| | |
|---|---|
| According to European Directive 2011/65/UE (RoHS) | The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1 |
| According to European Directive 2012/19/UE (RAEE2) | Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II). |


## Logistics and packaging

| | |
|---|---|
| Unit EAN code | 8423220235908 |
| EAN code container | 8423220235908 |
| EAN code packaging | 18423220235905 |
| Units packaging | 1 |

# 5507HGW

| | |
|---|---|
| Units carton | 5 |
| Pallet Units | 75 |
| Packaging Measurements cm | 0 |
| Packaging Measures cm | 57,8x46x38,5 |
| Unit weight (g) | 1671 |
| Container Weight (Kg) | 1,68 |
| Packaging Weight (Kg) | 9,39 |
| Tariff code | 39259010 |

## Sketch




## Documentation and downloads

Assembly instructions (5.54MB)

Commercial doc. (3.61MB)

Cajas de conexión para tabique hueco de la Serie Blue (Solera)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com