
5530GW

Flush connection box in hollow partition. 300 x 150 x 75 mm.



Flush connection box in hollow partition. 300 x 150 x 75 mm. Cover with screws. Fixing system by claws

Features

Installation method	For hollow wall.
Use	Domestic / Tertiary
Location type	Inside
Dimensions outside (mm) (width x height x depth)	300x150x75
Dimensions inside (mm) (Width x Height x Depth)	295x142x76
Dimensions gap (mm) (Width x Height x Depth)	300x148x77
Case material	Thermoplastic
Case color	Blue
Cap color	White
Ticket type	Unfathomable
Linkable	Vertically and horizontally
Lid closure system	Metal screw
Possibility of mounting DIN rail	Yes (not included)
Fixing system to the hollow partition.	Metal claw
With grommets at the bottom to fix the tubes or cables with cable ties, quantity	Yes
With recessed hole marking system	Yes
Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)

Technical data

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

Fire resistance (GWEPT)	850 ºC
Heat resistance (Ball pressure)	70 ºC
Ambient operating temperature	-5 ºC ; +60 ºC
Work stress	400 Vac
Free of halogens	Yes

Regulations

CE marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-1:2022 UNE- EN 60670-22:2007
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability

According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).


Logistics and packaging

Unit EAN code	8423220225305
EAN code container	8423220225305
EAN code packaging	18423220225302
Units packaging	1
Units carton	28
Pallet Units	420
Packaging Measures cm	59,5x39,5x59,5
Unit weight (g)	432,2
Container Weight (Kg)	0,4322
Packaging Weight (Kg)	13,0496

5530GW

Tariff code	39259010

Sketch



Documentation and downloads

- Assembly instructions (1.39MB)
- Assembly instructions (0.75MB)
- Commercial doc. (3.42MB)
- Safety Information (0.38MB)
- Flush switches of Eruopa range (Solera)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com