5625GW

Flush mechanism box in hollow partition. For 1 module. Nylon ties fixing system.

Flush mechanism box in hollow partition. For 1 module. Nylon ties fixing system.Flush dimensions Ø 68 x 46 mm. 4 inputs for tube Ø 20 mm. 2 inputs for tube Ø 25 mm. Use cutter Ø 68 mm. Blue colour.
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)



Features

Enclosure type	Mechanism box
Installation method	For hollow wall.
Use	Domestic / Tertiary
Location type	Inside
Dimensions inside (mm) (Width x Height x Depth)	Ø 68x46
Case material	Insulation
Case color	Blue
Battens included	No
Ticket type	Unfathomable
No. of inlets and size (mm)	4xØ20, 2xØ25
Linkable	Vertically and horizontally
Fixing system to the hollow partition.	Nylon flange

Technical data

Fire resistance (GWEPT)	850 ºC
Ambient operating temperature	-5 ºC ; +60 ºC
Work stress	400 Vca
Free of halogens	Yes

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-1:2022 UNE- EN 60670-22:2007
According to REBT	Yes
AENOR certificate	Yes
CB certificate	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability


According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

Logistics and packaging

Unit EAN code	8423220236615
EAN code container	8423220090545
EAN code packaging	18423220090542
Units packaging	20
Units carton	320
Pallet Units	4800
Packaging Measures cm	59,5x49x37,5
Unit weight (g)	22
Container Weight (Kg)	0,44
Packaging Weight (Kg)	7,81
Tariff code	39259010

Sketch

5625GW



Documentation and downloads

- Assembly instructions (3.84MB)
- Certificate (0.26MB)
- Mounting mechanism boxes for dry wall (Solera)
- Commercial doc. (3.61MB)
- Mechanism boxes for dry wall, Blue range (Solera)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com