
5825EG

Flush efficient mechanism box in hollow partition. For 3 modules. Fixing with metal claws.

Flush efficient mechanism box in hollow partition. For 3 modules. Fixing with metal claws. Flush dimensions 210 x 68 mm. 4 entries for Ø16-20 mm conduit and 2 entries for Ø20-25 mm conduit. Use Ø 68 mm hole saw.



Features

Installation method	For hollow wall.
Use	Domestic / Tertiary
Location type	Inside
No. Modules (18 mm)	3
Dimensions gap (mm) (Width x Height x Depth)	210 x 68 x 46
Case material	Thermoplastic
Case color	Blue
Ticket type	Flexible membrane
No. of inlets and size (mm)	2 entradas para tubo ø 16-20 y 4 entradas para tubo ø 20-25
Alignment marks	Alignment Marks
Fixing system to the hollow partition.	Short metal claw
Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)
Lightening torque	0.30 - 0.40 Nm

Technical data

Fire resistance (GWEPT)	850 ºC
Installation temperature	-5 ºC -> +60 ºC
Ambient operating temperature	-5 ºC ; +60 ºC
Free of halogens	Yes

Regulations

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

CE marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-1:2022 UNE- EN 60670-22:2007
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
AENOR certificate	Yes
CB certificate	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability


According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

Logistics and packaging

Unit EAN code	8423220236714
EAN code container	8423220231580
EAN code packaging	18423220231587
Units packaging	6
Units carton	144
Pallet Units	1728
Packaging Measures cm	59,5x39,5x64
Unit weight (g)	74,8
Container Weight (Kg)	0,4588
Packaging Weight (Kg)	12,2612
Tariff code	39259010

Sketch

5825EG



Documentation and downloads

- Assembly instructions (3.56MB)
- Commercial doc. (3.42MB)
- Safety Information (0.38MB)
- Certificate (0.68MB)
- Mechanism boxes for dry wall, Blue range (Solera)
- Mounting mechanism boxes for dry wall (Solera)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com