
5825EG

Flush efficient mechanism box in hollow partition. For 3 modules. Fixing with metal claws.

Flush efficient mechanism box in hollow partition. For 3 modules. Fixing with metal claws. Flush dimensions 210 x 68 mm. 4 inputs for tube Ø 16-20 mm. 2 inputs for tube Ø 20-25 mm. Use cutter Ø 68 mm.
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)



Features

Enclosure type	Mechanism box
Installation method	For hollow wall.
Use	Domestic / Tertiary
Location type	Inside
No. Modules (18 mm)	3
Dimensions gap (mm) (Width x Height x Depth)	210 x 68 x 46
Case material	Insulation
Case color	Blue
Ticket type	Flexible membrane
No. of inlets and size (mm)	2 entradas para tubo ø 16-20 y 4 entradas para tubo ø 20-25
Alignment marks	Alignment Marks
Fixing system to the hollow partition.	Short metal claw

Technical data

Fire resistance (GWEPT)	850 ºC
Installation temperature	-5 ºC -> +60 ºC
Ambient operating temperature	-5 ºC ; +60 ºC
Free of halogens	Yes

Regulations

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-1:2022 UNE- EN 60670-22:2007
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability


According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).
According to European Directive 2001/95 / CE. General Product Safety Directive	Yes

Logistics and packaging

Unit EAN code	8423220236714
EAN code container	8423220231580
EAN code packaging	18423220231587
Units packaging	6
Units carton	144
Pallet Units	1728
Packaging Measures cm	59,5x64x39,5
Unit weight (g)	75
Container Weight (Kg)	0,46
Packaging Weight (Kg)	12,26
Tariff code	39259010

Sketch

5825EG



Documentation and downloads

Assembly instructions (3.56MB)

Commercial doc. (3.61MB)

Mechanism boxes for dry wall, Blue range (Solera)

Mounting mechanism boxes for dry wall (Solera)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com