


Flush mechanism box in hollow partition. For 3 modules. Nylon ties fixing system.

Flush mechanism box in hollow partition. For 3 modules. Nylon ties fixing system. Flush dimensions 210 x 68 x 46 mm. 4 entries for Ø20-25 mm conduit and 4 entries for Ø16-20 mm conduit. Use Ø 68 mm hole saw. Blue colour.



Features

Installation method	For hollow wall.
Use	Domestic / Tertiary
Location type	Inside
Dimensions gap (mm) (Width x Height x Depth)	210x68x46
Case material	Insulation
Frame and door material	Insulation
Case color	Blue
Door opening	Horizontal
Battens included	No
Ticket type	Unfathomable
No. of inlets and size (mm)	4xØ20-25, 4xØ20-16
Fixing system to the hollow partition.	Nylon flange
With grommets at the bottom to fix the tubes or cables with cable ties, quantity	Yes
With recessed hole marking system	Yes
Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)
Lightening torque	0.30 - 0.40 Nm

Technical data

Fire resistance (GWEPT)	850 °C
Ambient operating temperature	-5 °C ; +60 °C
Work stress	400 Vac

Free of halogens	Yes
------------------	-----

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-1:2022 UNE- EN 60670-22:2007
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes


Sustainability

According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronic Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

Logistics and packaging

Unit EAN code	8423220236721
EAN code container	8423220201729
EAN code packaging	18423220201726
Units packaging	6
Units carton	144
Pallet Units	1728
Packaging Measures cm	59,5x39,5x64
Unit weight (g)	74,8
Container Weight (Kg)	0,4488
Packaging Weight (Kg)	11,7612
Tariff code	39259010

Sketch



Documentation and downloads



Assembly instructions (3.84MB)



Commercial doc. (3.42MB)



Safety Information (0.38MB)



Mechanism boxes for dry wall, Blue range (Solera)



Mounting mechanism boxes for dry wall (Solera)