


## Flush mechanism box in hollow partition. For 4 modules. Nylon ties fixing system.

Flush mechanism box in hollow partition. For 4 modules. Nylon ties fixing system. Flush dimensions 281 x 68 x 46 mm. 8 inputs for tube Ø 25–20 mm. 4 inputs for tube Ø 20 mm. 4 inputs for tube Ø 16 mm. Use cutter Ø 68 mm. Blue colour.



### Features

Installation method	For hollow wall.
Use	Domestic / Tertiary
Location type	Inside
No. Modules (18 mm)	4
Dimensions inside (mm) (Width x Height x Depth)	281x68x46
Case material	Insulation
Case color	Blue
Battens included	No
Ticket type	Unfathomable
No. of inlets and size (mm)	8xØ25–20, 4xØ20, 4xØ16
Alignment marks	Alignment Marks
Fixing system to the hollow partition.	Nylon flange
Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)
Lightening torque	0.30 – 0.40 Nm

### Technical data

Fire resistance (GWEPT)	850 °C
Ambient operating temperature	-5 °C ; +60 °C
Work stress	400 Vac
Free of halogens	Yes

## Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-1:2022 UNE- EN 60670-22:2007
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes


## Sustainability

According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

## Logistics and packaging

Unit EAN code	8423220236745
EAN code container	8423220217270
EAN code packaging	18423220217277
Units packaging	4
Units carton	12
Pallet Units	840
Packaging Measures cm	37,5x30x20
Unit weight (g)	92
Container Weight (Kg)	0,368
Packaging Weight (Kg)	1,436
Tariff code	39259010

## Sketch



## Documentation and downloads



Assembly instructions (3.84MB)



Commercial doc. (3.42MB)



Safety Information (0.38MB)



Mechanism boxes for dry wall, Blue range (Solera)



Mounting mechanism boxes for dry wall (Solera)