

## Flush distribution box in hollow partition of 14 modules. With graphite colour metal frame and door

Flush distribution box in hollow partition of 14 modules. Fixing system using metal claws. Ref. G-MP28. With graphite metal frame and door. Blue box and white cover thermoplastic material. External dimensions 362 x 327 x 88 mm. 30W thermal dissipation.



### Features

|  |   |
|--|---|
| Installation method                              | For hollow wall.                            |
| Use  | Domestic / Tertiary                         |
| Location type                                    | Inside                                      |
| No. Modules (18 mm)                              | 14  |
| Modules per row                                  | 14  |
| Metallic DIN profile                             | Yes   |
| Dimensions outside (mm) (width x height x depth) | 362x327x88                                  |
| Dimensions gap (mm) (Width x Height x Depth)     | 333 x 300 x 88                              |
| Case material                                    | Composite                                   |
| Frame and door material                          | Metallic stainless                          |
| Case color                                       | Blue  |
| Cap color  | White                                       |
| Door color                                       | Graphite                                    |
| Door opening                                     | Horizontal                                  |
| Battens included                                 | Yes (Screw terminals)                       |
| Strip type                                       | Ground                                      |
| No. of terminals and size                        | 13x6 mm <sup>2</sup> + 4x16 mm <sup>2</sup> |
| Ticket type                                      | Unfathomable                                |
| Linkable   | Vertically and horizontally                 |

|  |   |
|--|---|
| Lid closure system   | 1/4 turn screw without spring   |
| Door closing system  | Handle  |
| Reversible door  | Yes   |
| Possibility of mounting strips   | Yes (included)  |
| Possibility of putting lock  | Yes (not included)  |
| Possibility of mounting DIN rail   | Yes (included)  |
| Possibility of mounting .PL-MP28 plate   | Yes (not included)  |
| Fixing system to the hollow partition.   | Metal claw  |
| With grommets at the bottom to fix the tubes or cables with cable ties, quantity | Yes   |
| With recessed hole marking system  | Yes   |
| Common applications  | Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.) |

## Technical data

|                               |                      |
|-------------------------------|----------------------|
| Ambient operating temperature | -5 °C ; +60 °C       |
| Work stress                   | <1000 Vac ; 1500 Vdc |

## Regulations

|  |                   |
|--|-------------------|
| CE marking   | Yes               |
| UK marking   | Yes               |
| CMim marking   | Yes               |
| According to Regulations UNE/EN  | UNE-EN 62208:2012 |
| In accordance with the Low Voltage Electrotechnical Regulations (REBT) | Yes               |
| According to European Directive 2014/35 / EU. Low voltage directive    | Yes               |


## Sustainability

|  |   |
|--|---|
| According to European Directive 2011/65/UE (RoHS)  | The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1    |
| According to European Directive 2012/19/UE (RAEE2) | Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II). |

## Logistics and packaging

|                           |                |
|---------------------------|----------------|
| Unit EAN code             | 8423220246102  |
| EAN code container        | 8423220246102  |
| EAN code packaging        | 18423220246109 |
| Units packaging           | 1              |
| Units carton              | 6              |
| Pallet Units              | 72             |
| Packaging Measurements cm | 37x34x11       |
| Packaging Measures cm     | 71,5x34,5x39   |
| Unit weight (g)           | 2057,8         |
| Container Weight (Kg)     | 2,3278         |
| Packaging Weight (Kg)     | 14,7208        |
| Tariff code               | 39259010       |

## Sketch



## Documentation and downloads



Commercial doc. (3.42MB)



Safety Information (0.38MB)



Commercial doc. (0.34MB)