MPB3E42HGW

Flush distribution box in hollow partition of 42 modules. With white metal frame and door



Flush distribution box in hollow partition of 42 modules. Fixing system using metal claws. Ref. G-MP28.3 rows. With white metal frame and door. Box and cover white thermoplastic material. External dimensions 362 x 643 x 88 mm. 35W thermal dissipation. Earth & neutral terminals.
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)

Features

Enclosure type	Distribution
Installation method	For hollow wall.
Use	Domestic / Tertiary
Location type	Inside
No. Modules (18 mm)	42
Modules per row	14
Removable frame	Yes
Metallic DIN profile	Yes
Dimensions outside (mm) (width x height x depth)	362X643X88
Dimensions gap (mm) (Width x Height x Depth)	333x620x88
Case material	Composite
Frame and door material	Metallic stainless
Case color	Blue
Cap color	White
Door color	White
Door opening	Horizontal
Battens included	Yes (Screw terminals)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

MPB3E42HGW

Strip type	Neutral + Ground
No. of terminals and size	18x6 mm2 + 6x16 mm2 + 5x6 mm2
Ticket type	Unfathomable
Linkable	Vertically and horizontally
Lid closure system	1/4 turn screw without spring
Door closing system	Handle
Reversible door	Yes
Possibility of mounting strips	Yes (included)
Possibility of putting lock	Key
Possibility of mounting DIN rail	Yes (included)
Possibility of mounting .PL-MP28 plate	Yes (not included)
Fixing system to the hollow partition.	Metal claw
With grommets at the bottom to fix the tubes or cables with cable ties, quantity	Yes
With recessed hole marking system	Yes

Technical data

Ambient operating temperature	-5 ºC ; +60 ºC
Work stress	<1000 Vca ; 1500 Vcc

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 62208:2012
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability

According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1


According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

Logistics and packaging

Unit EAN code	8423220094437
EAN code container	8423220094437
EAN code packaging	18423220094434
Units packaging	1
Units carton	3
Pallet Units	36
Packaging Measurements cm	65x11x37
Packaging Measures cm	66x39x36,5
Unit weight (g)	4450
Container Weight (Kg)	4,79
Packaging Weight (Kg)	15,15
Tariff code	39259010

Sketch

MPB3E42HGW



Documentation and downloads

- Assembly instructions (7.29MB)
- Assembly instructions (0.51MB)
- Commercial doc. (3.61MB)
- Commercial doc. (0.51MB)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com