1348

Industrial distribution box of 48 modules.



Industrial distribution box of 48 modules. 3 rows. IP65. IK08. With centring points. External dimensions 362 x 500 x 160 mm. Ultra-fast stainless-steel closing screws.

Features

Installation method	Surface
Use	Industrial
Location type	Exterior and interior
No. Modules (18 mm)	48
Modules per row	16
Metallic DIN profile	Yes
Dimensions outside (mm) (width x height x depth)	362x500x160
Case material	Thermoplastic
Case color	Grey (RAL7035)
Cap color	Grey (RAL 7035)
Door color	Fume
Ticket type	With centricity points.
Fixation System (For surface)	Ref.KIT1300SOP (not included). For all INDUBOX except for Ref. 1303 and 1304
Sealable	Yes
Linkable	Vertically and horizontally
Lid closure system	Ultra-fast metal screw
Door closing system	Handle
Possibility of mounting strips	Yes (not included)
Possibility of mounting with key / padlock	Si (no incluido)

Possibility of putting lock	Yes (not included)
Possibility of mounting DIN rail	Yes (included)
Valid for photovoltaic installations	Yes
Common applications	Industrial environments (factories, warehouses, etc.)

Technical data

Protection Degree (IK)	IK08
Impact shock resistance	Strong
Insulation class	Class II
Fire resistance (GWEPT)	650 °C
Heat resistance (Ball pressure)	70 °C
UV resistance	Yes
Free of halogens	Yes
Suitable for saline environments	Yes

Regulations

CE marking	Yes
CMim marking	Yes
According to Regulations	UNE-EN 61439-1: 2021, UNE-EN 61439-3: 2012, UNE-EN 61439-4: 2013
According to Regulations UNE/EN	UNE-EN 62208:2012
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability


According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

Logistics and packaging

1348

Unit EAN code	8423220050617
EAN code container	8423220050617
EAN code packaging	18423220050614
Units packaging	1
Units carton	4
Pallet Units	40
Packaging Measurements cm	52x37,2x17
Packaging Measures cm	56x37,5x70,5
Unit weight (g)	3421,4
Container Weight (Kg)	3,9654
Packaging Weight (Kg)	17,0566
Tariff code	85381000

Sketch



Documentation and downloads

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

Assembly instructions (1.16MB)

Safety Information (0.38MB)

Certificate (0.48MB)

Series replenishments (0.24MB)

Industrial cabinets IP65, IK08 (Solera) (2020)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com