

## Industrial wired cabinet of 32 modules, 63A.

Industrial wired cabinet INDUBOX. Components: 2 Flush socket 2P+E, 16A. IP54  
 2 Angled industrial flush socket 3P+E, 32A 400V~. IP44. 2 Angled industrial flush  
 socket 3P+E, 16A 400V~. IP44. 1 Miniature Circuit Breaker 3P, 32A. Breaking  
 capacity 6kA. 1 Miniature Circuit Breaker 3P, 16A. Breaking capacity 6kA. 1  
 Miniature Circuit Breaker 1P+N, 16A. Breaking capacity 6kA. 1 Residual Current  
 Circuit-Breaker 4P, 63A. 2 modules. Breaking capacity 6kA.

Common applications: Industrial environments (factories, warehouses, etc.)



### Features

Enclosure type	Distribution
Installation method	Surface
Use	Industrial
Location type	Exterior and interior
No. Modules (18 mm)	32
Modules per row	16
Metallic DIN profile	Yes
Dimensions outside (mm) (width x height x depth)	362x500x160
Case material	Insulation
Case color	Grey (RAL7035)
Cap color	Grey (RAL 7035)
Door color	Blue
Battens included	Yes (Screw terminals)
Strip type	Ground
No. of terminals and size	12x6 mm <sup>2</sup> + 2x16 mm <sup>2</sup>
Ticket type	With centricity points.
Sealable	Yes
Linkable	Vertically and horizontally
Lid closure system	Ultra-fast metal screw
Door closing system	Handle
Possibility of mounting strips	Yes (included)

Possibility of mounting with key / padlock	Si (no incluido)
Possibility of putting lock	Key
Possibility of mounting DIN rail	Yes (included)

## Technical data

Protection Degree (IP)	IP65
Protection Degree (IK)	IK08
Impact shock resistance	Strong
Insulation class	Class II
UV resistance	Yes
Free of halogens	Yes
Suitable for saline environments	Yes

## Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations	UNE-EN 62208: 2012
According to Regulations UNE/EN	UNE-EN 61439-1: 2012 UNE-EN 61439-3: 2012 UNE-EN 61439-4: 2013
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

## Sustainability

According to European Directive 2011/65/UE (RoHS)	The box does not correspond to the definition of Electrical and Electronical Equipment (EEE), but the included devices are affected individually.
According to European Directive 2012/19/UE (RAEE2)	The box does not correspond to the definition of Electrical and Electronical Equipment (EEE), but the included devices are affected individually.

## Logistics and packaging

Unit EAN code	8423220057197
EAN code container	8423220057197
EAN code packaging	18423220057194
Units packaging	0
Units carton	1
Pallet Units	99999
Packaging Measures cm	26x22,5x22
Packaging Weight (Kg)	8,20
Tariff code	85371098

## Documentation and downloads



[Commercial doc. \(6.32MB\)](#)



[Series replenishments \(0.05MB\)](#)



[Industrial cabinets IP65, IK08 \(Solera\)](#)