1005515E-ICT

Secondary IT box. Flush. Dimensions 1000 x 550 x 150 mm. Old reference 1555E.



Secondary IT box. Flush. Dimensions 1000 x 550 x 150 mm. IP34. With lock and metal key. White color

Features

Installation method	Flush in work
Use	Domestic / Tertiary
Location type	Inside
Dimensions outside (mm) (width x height x depth)	1000x550x150
Case material	Metallic stainless
Frame and door material	Metallic
Case color	White
Door color	White
Door opening	Horizontal
Battens included	No
Door closing system	With lock
Possibility of mounting strips	Yes (not included)
Possibility of mounting plate	Yes (included)
Possibility of mounting DIN rail	Yes (not included)
Possibility of mounting .PL-MP28 plate	Yes (not included)
Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)

Technical data

Insulation class	Class I
Work stress	400 Vac

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

Regulations

CE marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-22:2007
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
In accordance with the Telecommunications Regulations (ICT)	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability


According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

Logistics and packaging

Unit EAN code	8423220009882
EAN code container	8423220009882
EAN code packaging	18423220009889
Units packaging	1
Units carton	1
Pallet Units	20
Packaging Measures cm	16x56,5x101,5
Packaging Weight (Kg)	20,83
Tariff code	85371098

Sketch

1005515E-ICT



Documentation and downloads

Safety Information (0.38MB)

Series replenishments (0.18MB)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com