

## Secondary IT box. Surface. Dimensions 450 x 450 x 150 mm. Old reference 1545S.

Secondary IT box. Surface. Dimensions 450 x 450 x 150 mm. IP55. It can be installed as a junction box. With lock and metal key. White color



### Features

Installation method	Surface
Use	Domestic / Tertiary
Location type	Inside
Dimensions outside (mm) (width x height x depth)	450x450x150
Case material	Metallic stainless
Frame and door material	Metallic
Case color	White
Door color	White
Door opening	Horizontal
Battens included	No
Fixation System (For surface)	Inside
Door closing system	With lock
Possibility of mounting strips	Yes (not included)
Possibility of mounting plate	Yes (included)
Possibility of mounting DIN rail	Yes (not included)
Possibility of mounting .PL-MP28 plate	Yes (not included)
Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)

## Technical data

Insulation class	Class I
Work stress	400 Vac

## Regulations

CE marking	Yes
According to Regulations UNE/EN	UNE-EN 60670-22:2007
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
In accordance with the Telecommunications Regulations (ICT)	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

## Sustainability

According to European Directive 2011/65/EU (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/EU (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

## Logistics and packaging

Unit EAN code	8423220009875
EAN code container	8423220009875
EAN code packaging	18423220009872
Units packaging	1
Units carton	1
Pallet Units	76
Packaging Measures cm	18x47x47
Packaging Weight (Kg)	8,38
Tariff code	85371098

## Documentation and downloads



Safety Information (0.38MB)



Series replenishments (0.07MB)