

Weatherproof grey distribution box, 24+2 modules.With metal frame

Weatherproof distribution box, 24+2 modules. IP65. IK08. Smooth lid and sides. External dimensions 347 x 388 x 139 mm. Ultra-fast INOX closing screws. Grey RAL 7035. Smoked door. With metal frame



Features

Installation method	Surface
Use	Domestic / Tertiary
Location type	Exterior and interior
No. Modules (18 mm)	24+2
Modules per row	12+1
Removable frame	Yes
Dimensions outside (mm) (width x height x depth)	347x388x139
Dimensions (mm)	See sketch
Case material	Thermoplastic
Case color	Grey (RAL7035)
Cap color	Grey (RAL 7035)
Door color	Fume
Ticket type	Smooth sides (machining inlets)
Fixation System (For surface)	Inside
Sealable	Yes
Lid closure system	Ultra-fast metal screw
Door closing system	A Pressure
Possibility of mounting strips	Yes (not included)
Possibility of putting lock	Yes (not included)

Possibility of mounting DIN rail	Yes (included)
Captive screw	Yes
Valid for photovoltaic installations	Yes
Common applications	Domestic / tertiary outdoor environment (garden, swimming pool, parking, public road, etc.)
Additional dimensions (mm)	See sketch

Technical data

Protection Degree (IK)	IK08
Insulation class	Class II
Fire resistance (GWEPT)	650 °C
Heat resistance (Ball pressure)	70 °C
Thermal power dissipated	37 W
UV resistance	Yes
Free of halogens	Yes
Suitable for saline environments	Yes

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations	UNE-EN 61439-1: 2021, UNE-EN 61439-3: 2012, UNE-EN 61439-4: 2013
According to Regulations UNE/EN	UNE-EN 62208:2012
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability

According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

Logistics and packaging

Unit EAN code	8423220279582
EAN code container	8423220279582
EAN code packaging	18423220279589
Units packaging	1
Units carton	6
Pallet Units	60
Packaging Measurements cm	38,5x14,8x35,5
Packaging Measures cm	56x37,5x70,5
Unit weight (g)	2181
Container Weight (Kg)	2,459
Packaging Weight (Kg)	15,73
Tariff code	85381000

Documentation and downloads

 Assembly instructions (2.02MB)

 Safety Information (0.38MB)

 Series replenishments (0.24MB)

 Commercial doc. (6.09MB)

 Certificate (0.62MB)

 VERA: Weatherproof distribution box IP65 (Solera)