

## Weatherproof black distribution box, 9 modules.

Weatherproof distribution box, 9 modules. IP65. IK08. Smooth lid and sides. External dimensions 245 x 250 x 110 mm. Ultra-fast INOX closing screws. Black finish. Smoked door.



## Features

Installation method	Surface
Use	Domestic / Tertiary
Location type	Exterior and interior
No. Modules (18 mm)	9
Modules per row	9
Metallic DIN profile	Yes
Dimensions outside (mm) (width x height x depth)	245x250x110
Dimensions inside (mm) (Width x Height x Depth)	237x231x101
Case material	Insulation
Case color	Black
Cap color	Black
Door color	Fume
Ticket type	Smooth sides (machining inlets)
Fixation System (For surface)	Inside
Sealable	Yes
Lid closure system	Ultra-fast metal screw
Door closing system	A Pressure
Possibility of mounting strips	Yes (not included)
Possibility of putting lock	Yes (not included)

Possibility of mounting DIN rail	Yes (included)
Captive screw	Yes
Valid for photovoltaic installations	Yes
Common applications	Domestic / tertiary outdoor environment (garden, swimming pool, parking, public road, etc.)

## Technical data

Protection Degree (IK)	IK08
Insulation class	Class II
Fire resistance (GWEPT)	650 °C
Heat resistance (Ball pressure)	70 °C
Thermal power dissipated	24,4 W
UV resistance	Yes
Free of halogens	Yes
Suitable for saline environments	Yes

## Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations	UNE-EN 61439-1: 2021, UNE-EN 61439-3: 2012, UNE-EN 61439-4: 2013
According to Regulations UNE/EN	UNE-EN 62208:2012
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes


## Sustainability

According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).







## Logistics and packaging

Unit EAN code	8423220263932
EAN code container	8423220263932
Units packaging	1
Units carton	15
Pallet Units	150
Packaging Measurements cm	25,5x11,5x25,5
Packaging Measures cm	56x37,5x70,5
Unit weight (g)	1032
Container Weight (Kg)	1,167
Packaging Weight (Kg)	18,481
Tariff code	85381000

## Sketch



## Documentation and downloads

- 
[Assembly instructions \(2.02MB\)](#)
- 
[Commercial doc. \(6.09MB\)](#)
- 
[Safety Information \(0.38MB\)](#)
- 
[Certificate \(0.9MB\)](#)
- 
[Series replenishments \(0.24MB\)](#)
- 
[VERA: Weatherproof distribution box IP65 \(Solera\)](#)

