
ERP21



Blind switch 10A 250V~. Flush.

Blind switch 10A 250V~. Flush.White colour. Without frame. Quick connection.

Features

Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)
Mechanism type	Shutter button
Rated current	10A
Nominal voltage	250V~ (50/60 Hz)
Connection type	Fast connection
Mini trunking input	Yes
Flexible cable section	Up to 2.5 mm²
Rigid cable section	Up to 2.5 mm²
Type of operation	Rocker key
Power	SV000213
With fixing claws	Yes

Technical data

Free of halogens	Yes

Regulations

CE marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60669-1:2018

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sustainability


According to European Directive 2011/65/UE (RoHS)	Yes
According to European Directive 2012/19/UE (RAEE2)	Yes
According to Regulations (RoHS)	UNE-EN IEC 63000:2022

Logistics and packaging

Unit EAN code	8423220220904
EAN code container	8423220220850
EAN code packaging	18423220220857
Units packaging	10
Units carton	120
Pallet Units	4320
Packaging Measurements cm	26x14x10
Packaging Measures cm	44x27,5x40
Unit weight (g)	75
Container Weight (Kg)	0,9004
Packaging Weight (Kg)	11,5228
Tariff code	85366990

Sketch

ERP21



Documentation and downloads

- Assembly instructions (0.58MB)
- Commercial doc. (3.28MB)
- Safety Information (0.38MB)
- Mechanism scheme table (0.91MB)
- Flush switches of Eruopa range (Solera)
- Assembly flush switches form Europa range (Solera)

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com