


Blind switch 10A 250V~. Flush.

Blind switch 10A 250V~. Flush.White colour. Without frame. Quick connection.



Features

Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)
Mechanism type	Shutter button
Rated current	10A
Nominal voltage	250V~ (50/60 Hz)
Connection type	Fast connection
Mini trunking input	Yes
Flexible cable section	Up to 2.5 mm ²
Rigid cable section	Up to 2.5 mm ²
Type of operation	Rocker key
Power	SV000213
With fixing claws	Yes

Technical data

Free of halogens	Yes
------------------	-----

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60669-1:2018

In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes
--	-----

According to European Directive 2014/35 / EU. Low voltage directive	Yes
---	-----

Sustainability

According to European Directive 2011/65/UE (RoHS)	Yes
---	-----

According to European Directive 2012/19/UE (RAEE2)	Yes
--	-----

According to Regulations (RoHS)	UNE-EN IEC 63000:2022
---------------------------------	-----------------------

Logistics and packaging

Unit EAN code	8423220220904
---------------	---------------

EAN code container	8423220220850
--------------------	---------------

EAN code packaging	18423220220857
--------------------	----------------

Units packaging	10
-----------------	----

Units carton	120
--------------	-----

Pallet Units	4320
--------------	------

Packaging Measurements cm	26x14x10
---------------------------	----------

Packaging Measures cm	44x27,5x40
-----------------------	------------



Unit weight (g)	75
-----------------	----

Container Weight (Kg)	0,9004
-----------------------	--------

Packaging Weight (Kg)	11,5228
-----------------------	---------

Tariff code	85366990
-------------	----------

Sketch



Documentation and downloads



Commercial doc. (3.28MB)



Safety Information (0.38MB)



Flush switches of Eruopa range (Solera)



Assembly flush switches form Europa range (Solera)