

Universal cover with frame for TV/R signal socket.

Universal cover with frame for TV/R signal socket. With frame. White colour.



Features

Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)
Mechanism type	Frame
Type of installation	Flush
Dimensions	83 x 81
Monobloc (with frame included)	Yes
Frame color	White
Position	Horizontal

Technical data

Fire resistance (GWEPT)	850 °C
Heat resistance (Ball pressure)	125 °C
Free of halogens	Yes

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60728-11:2017
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes

According to European Directive 2014/35 / Yes
EU. Low voltage directive


Sustainability

According to European Directive 2011/65/UE (RoHS)	The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1
According to European Directive 2012/19/UE (RAEE2)	Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

Logistics and packaging

Unit EAN code	8423220085299
EAN code container	8423220085466
EAN code packaging	18423220085463
Units packaging	20
Units carton	240
Pallet Units	8640
Packaging Measurements cm	26x14x10
Packaging Measures cm	44x27,5x40
Unit weight (g)	29
Container Weight (Kg)	0,7904
Packaging Weight (Kg)	10,2028
Tariff code	85366990

Sketch



Documentation and downloads



Safety Information (0.38MB)



Assembly flush switches form Europa range (Solera)