# ERP60USBC-U

## Socket 2P+E, 16A 250V + 1 USB A+ 1 USB C. 2,1A 5V. Monobloc. Flush




Socket 2P+E, 16A 250V ~ + 1USB type A & 1 USB type C 2.1A 5V. Screw connection. White colour. Flush. Dimensions 83x81 mm. With shutter. Monobloc

## Features

| | |
|---|---|
| Common applications | Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.) |
| Mechanism type | Fixed base + USB |
| Type of installation | Flush |
| Rated current | 16A - 2,1Adc |
| Nominal voltage | 250V~ (50/60 Hz) - 5Vdc |
| Connection type | Fast connection |
| Dimensions | 83 x 81 |
| With fixing claws | Yes |
| Monobloc (with frame included) | Yes |
| Frame color | White |

## Technical data

| | |
|---|---|
| Fire resistance (GWEPT) | 850 °C |
| Heat resistance (Ball pressure) | 70/125 °C |
| Free of halogens | Yes |

## Regulations

| | |
|---|---|
| CE marking | Yes |
| According to Regulations UNE/EN | UNE-20315-1-1:2017; UNE-20315-1-2:2017 |

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com

| | |
|---|---|
| In accordance with the Low Voltage Electrotechnical Regulations (REBT) | Yes |
| In accordance with the Regulation (EU) 2023/988 of the European Parliament and of the Council on general product safey | Yes |

## Sustainability

| | |
|---|---|
| According to European Directive 2011/65/UE (RoHS) | Yes |
| According to European Directive 2012/19/UE (RAEE2) | Yes |
| According to Regulations (RoHS) | UNE-EN IEC 63000:2022 |

## Logistics and packaging

| | |
|---|---|
| Unit EAN code | 8423220243873 |
| EAN code container | 8423220243866 |
| EAN code packaging | 18423220243863 |
| Units packaging | 10 |
| Units carton | 120 |
| Pallet Units | 4320 |
| Packaging Measurements cm | 26x14x10 |
| Packaging Measures cm | 44x27,5x40 |
| Unit weight (g) | 102 |
| Container Weight (Kg) | 1,1704 |
| Packaging Weight (Kg) | 14,7628 |
| Tariff code | 85366990 |

## Documentation and downloads

**Assembly instructions (0.58MB)**

**Safety Information (0.38MB)**

**Mechanism scheme table (0.91MB)**

**Flush switches of Eruopa range (Solera)**

**Assembly flush switches form Europa range (Solera)**

Portalámparas y Accesorios Solera S.A.U. Pol. Ind. Fuente del Jarro C/ Villa de Madrid, 53 46988 Paterna (Valencia) España
+34 961 322 301 | solera@psolera.com | www.psolera.com