

RJ45 data collection. Category 6. Surface.

RJ45 data collection. Category 6. Surface. White colour. Dimensions 74 x 72 x 28 mm. Inputs for 10x16, 10x20 and 16x16 mm mini-trunking.



Features

Common applications	Severe industrial environments (Mines, quarries, railways, tunnels, etc.)
Mechanism type	RJ45 data capture. Cat 6
Pilot light	Yes
Connection type	Screw connection
Mini trunking input	Yes
Dimensions	74 x 72 x 28
Monobloc (with frame included)	Yes
Frame color	White

Technical data

Free of halogens	Yes
------------------	-----

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 50173-1:2018
In accordance with the Low Voltage Electrotechnical Regulations (REBT)	Yes

According to European Directive 2014/35 / EU. Low voltage directive Yes

Sustainability

According to European Directive 2011/65/UE (RoHS) Yes

According to European Directive 2012/19/UE (RAEE2) Yes

According to Regulations (RoHS) UNE-EN IEC 63000:2022

Logistics and packaging

Unit EAN code 8423220227521

EAN code container 8423220227514

EAN code packaging 18423220227511

Units packaging 10

Units carton 120

Pallet Units 5760

Packaging Measurements cm 16x18x8

Packaging Measures cm 49,5x19x34



Unit weight (g) 63,6

Container Weight (Kg) 0,768

Packaging Weight (Kg) 9,816

Tariff code 85366990

Sketch



Documentation and downloads



Commercial doc. (2.65MB)



Safety Information (0.38MB)



Surface switches Mural range (Solera)



Assembly surface switches Mural range (Solera)