

External corner 40x40

External corner for 40x40 trunking.  
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)



Features

|                                  |                     |
|----------------------------------|---------------------|
| Installation method              | Surface             |
| Use                              | Domestic / Tertiary |
| Location type                    | Inside              |
| Dimensions (Height x Width - mm) | 40 x 40             |
| Composition                      | Loose lid           |
| Material                         | PVC (M1)            |

Technical data

|                         |           |
|-------------------------|-----------|
| Protection Degree (IP)  | IP40      |
| Fire resistance (GWEPT) | 850 °C    |
| Work temperature        | Code: 321 |
| Free of halogens        | Yes       |

Regulations

|                                                                     |                     |
|---------------------------------------------------------------------|---------------------|
| CE marking                                                          | Yes                 |
| UK marking                                                          | Yes                 |
| CMim marking                                                        | Yes                 |
| According to Regulations UNE/EN                                     | UNE-EN 50085-1:2006 |
| According to REBT                                                   | Yes                 |
| According to European Directive 2014/35 / EU. Low voltage directive | Yes                 |

Sustainability

|                                                    |                                                                                                                                                                       |
|----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| According to European Directive 2011/65/UE (RoHS)  | The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1    |
| According to European Directive 2012/19/UE (RAEE2) | Not applicable because it does not meet the definition of Electrical and Electronic Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II). |

Logistics and packaging

|                           |                |
|---------------------------|----------------|
| Unit EAN code             | 8423220237865  |
| EAN code container        | 8423220018716  |
| EAN code packaging        | 18423220018713 |
| Units packaging           | 15             |
| Units carton              | 120            |
| Pallet Units              | 5880           |
| Packaging Measurements cm | 20,5x11,3x12,3 |
| Packaging Measures cm     | 49x23x31,5     |
| Unit weight (g)           | 27             |
| Container Weight (Kg)     | 0,47           |
| Packaging Weight (Kg)     | 4,24           |
| Tariff code               | 85366990       |

Sketch

